

Polluted River Stretch Priority-II (Wardha River, State - Maharashtra)							
Latest Water Quality As per Assessment Targeted (Characteristics of River)							
1212 - Wardha River at Rajura bridge, Village- Rajura, Taluka- Chandrapur, District- Chandrapur.							
Month	Year	pH	DO (mg/L)	BOD (mg/L)	FC MPN /100ml	TC MPN /100ml	Water Quality
January	2017	8.0	8.0	6.8			Non Complying
	2018	7.1	5.9	5.8	110	540	Non Complying
	2019	8.2	7.8	3.2	34	240	Non Complying
	2020	8.5	8	3.2	40	350	Non Complying
	2021	8.1	7.0	4.5	34.0	350.0	Non Complying
	2022	8.2	5.8	3.8	10.0	140.0	Non Complying
	2023	8.3	6	3.5	27	130	Non Complying
February	2017	8.0	7.0	7.0			Non Complying
	2018	7.5	6.8	5.2	94	280	Non Complying
	2019	8.3	6.1	5.7	33	220	Non Complying
	2020	7.7	7.8	3.5	40	350	Non Complying
	2021	8	7	4	39	280	Non Complying
	2022	8.5	6	3.6	14	170	Non Complying
	2023	8.7	5.8	3.5	17	240	Non Complying
March	2017	7.7	6.2	5.8			Non Complying
	2018	8.3	4.9	6.8	94	280	Non Complying
	2019	7.7	5.5	5.0	38	210	Non Complying
	2020	8.4	7.8	3.6	34.0	350	Non Complying
	2021	7.8	6.7	4.5	34	350	Non Complying
	2022	8.5	6.1	3.5	21	220	Non Complying
	2023	8.4	5.6	3.4	43	280	Non Complying
April	2017	8.3	5.7	4.8			Non Complying
	2018	7.1	6.1	5.8	94	280	Non Complying
	2019	8.1	4.1	6.8	33	220	Non Complying
	2020						
	2021	8.2	6.5	4.8	39	430	Non Complying
	2022	8.2	5.8	3.8	17	240	Non Complying
	2023	8.7	6.5	3.2	31	120	Non Complying
May	2017	7.6	5.7	4.8			Non Complying
	2018	7.4	6.1	6.8	94	280	Non Complying
	2019	8.9	5.3	6.4	33	220	Non Complying
	2020	7.8	7.7	3.2	34	240	Non Complying
	2021	8.4	6.4	4.5	39	430	Non Complying
	2022	7.8	6.3	3.2	21	280	Non Complying
	2023	8	5.8	3.5	26	140	Non Complying
June	2017	7.3	4.2	11.4	540	1600	Non Complying
	2018	7.0	5.2	8.8	79	280	Non Complying
	2019	8.8	4.8	8.2	38	210	Non Complying
	2020	7.5	7.6	3.2	39	280	Non Complying
	2021	8.4	6.4	4.5	34	350	Non Complying
	2022	7.8	6.1	3.2	27	220	Non Complying
	2023	8.2	5.6	3.5	26	170	Non Complying

July	2017	7.2	6.1	4.2	350	1600	Non Complying
	2018	7.5	5.3	9.1	170	350	Non Complying
	2019	7.9	8.3	5.2	39	280	Non Complying
	2020	7.6	7.6	3.6	34	240	Non Complying
	2021	8	6.6	4.8	39	430	Non Complying
	2022	8.2	6.4	3.5	43	280	Non Complying
	2023	8.3	5.2	3.8	32	210	Non Complying
August	2017	7.9	6.0	4.8	540	1600	Non Complying
	2018	7.4	6.7	10.2	80	300	Non Complying
	2019	7.7	6.6	4.6	47	350	Non Complying
	2020	7.9	7	4	39	280	Non Complying
	2021	8.43	6.8	4.6	14	140	Non Complying
	2022	8.3	6.3	3.8	41	240	Non Complying
	2023	8.3	6	3.4	39	170	Non Complying
September	2017	8.0	6.1	4.8			Non Complying
	2018	7.7	5.8	8.7	80	300	Non Complying
	2019	7.8	7.1	4.2	40	300	Non Complying
	2020	8.6	6.9	5	33	350	Non Complying
	2021	8.1	5.7	6.4	21	220	Non Complying
	2022	8	5.5	5.2	48	220	Non Complying
	2023	8.2	5.8	3.4	38	120	Non Complying
October	2017	7.1	6.1	5.8	110	220	Non Complying
	2018	8.0	5.3	4.6	70	280	Non Complying
	2019	8.4	7.5	3.2	39	280	Non Complying
	2020	8.5	7.1	4.5	34	350	Non Complying
	2021	7.9	6	4.2	17	220	Non Complying
	2022	8.2	6.1	3.2	40	210	Non Complying
	2023	7.9	5.8	3.2	32	170	Non Complying
November	2017	7.0	5.6	13.4			Non Complying
	2018	7.4	6.5	4.2	40	280	Non Complying
	2019	8.9	8.0	3.4	34	350	Non Complying
	2020	8.4	7.4	4	33	350	Non Complying
	2021	8.3	6.5	4	14	150	Non Complying
	2022	8.2	6.2	3.2	33	150	Non Complying
	2023	8.4	6	3	21	140	Complying
December	2017	8.0	5.3	8.6	22	210	Non Complying
	2018	8.6	7.3	5.8	33	280	Non Complying
	2019	8.7	7.5	3.6	39	280	Non Complying
	2020	8.2	6.9	5.0	39.0	280.0	Non Complying
	2021	8.0	6.0	3.2	4.0	120.0	Non Complying
	2022	8.4	6.1	3.4	22	170	Non Complying
	2023	8.4	5.9	3.2	14	210	Non Complying

1315 - Wardha River at Pulgaon Railway Bridge, Village- Pulgaon,Taluka - Wardha, District- Wardha.							
Month	Year	pH	DO (mg/L)	BOD (mg/L)	FC MPN /100ml	TC MPN /100ml	Water Quality
January	2017	7.7	8.0	4.8	79.0	240.0	Non Complying
	2018	8.6	6.6	5.9	94	220	Non Complying
	2019						Dry
	2020						Dry
	2021	8.2	7	5.0	34	240	Non Complying
	2022	8.5	5.8	4.0	13	170	Non Complying
	2023	8	6.3	3.4	43	150	Non Complying
February	2017	7.9	7.6	5.6	70	140	Non Complying
	2018	7.7	6.1	5.8	79	280	Non Complying
	2019						Dry
	2020						Dry
	2021	8.1	7	4.8	39	350	Non Complying
	2022	8.6	6	4	24	210	Non Complying
	2023	8.8	5.9	3.6	32	150	Non Complying
March	2017	7.6	6.9	5.8	79	220	Non Complying
	2018	8.2	4.4	6.8	94	220	Non Complying
	2019						Dry
	2020						Dry
	2021						Dry
	2022						Dry
	2023						Dry
April	2017	8.0	5.6	6.1	94	280	Non Complying
	2018	8.5	4.4	9.8	94	280	Non Complying
	2019						Dry
	2020						Dry
	2021						Dry
	2022						Dry
							Dry
May	2017	8.1	5.4	9.8	58	280	Non Complying
	2018						Dry
	2019						Dry
	2020						Dry
	2021						Dry
	2022						Dry
	2023						Dry
June	2017	8.5	6.0	6.6	58	210	Non Complying
	2018						Dry
	2019						Dry
	2020						Dry
	2021						Dry
	2022						Dry
	2023						Dry

July	2017	6.8	5.5	7.6	94	280	Non Complying
	2018	7.4	5.5	11.4	40	350	Non Complying
	2019						Dry
	2020						Dry
	2021	8.1	7.0	4	34	240	Non Complying
	2022	8.2	5.7	4.6	32	150	Non Complying
	2023						Dry
August	2017	8.0	6.8	3.0	94	280	Complying
	2018	7.8	5.2	10.4	40	350	Non Complying
	2019	8.1	6.4	3.8	39	350	Non Complying
	2020	8.2	7.6	4.2	39	280	Non Complying
	2021	8.67	7	4	11	170	Non Complying
	2022	8.4	6.2	3.8	27	170	Non Complying
	2023	8.3	5.9	3	40	150	Complying
September	2017	8.1	6.2	5.2	110	210	Non Complying
	2018	8.3	6.1	10.1	80	300	Non Complying
	2019	8.1	7.9	3.6	130	300	Non Complying
	2020	8.6	7	5.8	39	280	Non Complying
	2021	7.8	6.7	3	14	120	Complying
	2022	8.2	6.4	3.6	22	140	Non Complying
	2023	8.3	6	3	26	110	Complying
October	2017	7.0	5.7	5.4	94	220	Non Complying
	2018	7.4	6.6	4.8	39	280	Non Complying
	2019	8.4	6.3	4.4	34	350	Non Complying
	2020	8.5	7.2	4.5	34	350	Non Complying
	2021	8.2	5.9	5.2	21	220	Non Complying
	2022	8.3	6.3	3.1	21	140	Non Complying
	2023	8.4	5.8	3.2	41	140	Non Complying
November	2017	7.5	5.9	12.2	110	210	Non Complying
	2018	7.7	7.8	3.8	47	350	Non Complying
	2019	8.9	8.2	3.2	39	280	Non Complying
	2020	8.5	7.6	3.8	39	280	Non Complying
	2021	8.4	6	4.4	17	150	Non Complying
	2022	8.3	6.2	3.4	26	140	Non Complying
	2023	8.3	5.8	3	27	110	Complying
December	2017	8.2	4.5	9.4	94	210	Non Complying
	2018	8.6	7.2	6	33	220	Non Complying
	2019	8.1	7.2	3.6	39	280	Non Complying
	2020	8.4	7.1	4.0	39	280	Non Complying
	2021	8.2	6.2	3.2	11	170	Non Complying
	2022	8.4	5.9	3.5	32	110	Non Complying
	2023	7.9	6.7	3.2	24	220	Non Complying

2156 - Wardha River at confluence point of Penganga & Wardha, Village- Jugad, Taluka- Wani, District- Yavatmal.

Month	Year	pH	DO (mg/L)	BOD (mg/L)	FC MPN /100ml	TC MPN /100ml	Water Quality
January	2017	8.0	8.0	4.8			Non Complying
	2018	7.2	6.9	6.8	94	350	Non Complying
	2019	8.5	7.7	3.4	33	220	Non Complying
	2020	8.6	7.6	4.2	39	350	Non Complying
	2021	8.4	6.8	5.0	39.0	280.0	Non Complying
	2022	8.2	6.1	3.2	4.0	120.0	Non Complying
	2023	8.4	5.8	4	22	110	Non Complying
February	2017	8.0	7.6	6.6			Non Complying
	2018	7.5	5.8	6.0	79	280	Non Complying
	2019	8.7	5.4	5.4	38	210	Non Complying
	2020	8	7.8	4	39	280	Non Complying
	2021	8.4	6.7	5	34	350	Non Complying
	2022	8.4	6	3.5	12	140	Non Complying
	2023	8.7	5.6	3.5	22	130	Non Complying
March	2017	7.6	6.2	6.2			Non Complying
	2018	8.3	3.4	6.9	79	280	Non Complying
	2019	8.2	6.8	3.4	34	240	Non Complying
	2020	8.4	7.0	4.6	34.0	240.0	Non Complying
	2021	7.7	6.6	5.2	39	350	Non Complying
	2022	8.7	5	3.5	34	220	Non Complying
	2023	8.4	5.6	3.5	26	120	Non Complying
April	2017	8.6	6.3	3.2			Non Complying
	2018	6.9	5.2	10.3	94	280	Non Complying
	2019	8.0	5.0	4.9	39	280	Non Complying
	2020	8	7.6	3.2	33.0	220.0	Non Complying
	2021	8.1	6.9	5.2	39.0	280.0	Non Complying
	2022	8.3	6.1	3.4	11	150	Non Complying
	2023	8.7	5.6	3	17	130	Complying
May	2017	8.4	6.0	4.2			Non Complying
	2018	7.8	5.7	7.6	79	280	Non Complying
	2019	9.0	8.5	3.4	34	240	Non Complying
	2020	7.9	7.6	3.4	38	210	Non Complying
	2021	8.1	6.2	5	39	350	Non Complying
	2022	7.8	5.9	3.6	12	110	Non Complying
	2023	8.1	6	3.5	17	110	Non Complying
June	2017	7.8	6.0	5.8	94	350	Non Complying
	2018	7.1	4.6	10.1	94	280	Non Complying
	2019						Dry
	2020	8.4	7.4	3.6	39	430	Non Complying
	2021	8.1	6.2	5	39	430	Non Complying
	2022	8	5.2	4.8	26	220	Non Complying
	2023	8.4	5.7	3.6	22	110	Non Complying

July	2017	7.4	6.2	3.6	70	350	Non Complying
	2018	7.7	5.2	8.9	80	280	Non Complying
	2019	8.0	7.8	3.4	34	240	Non Complying
	2020	8.3	7.7	3.4	34	350	Non Complying
	2021	8.1	6	5	34	350	Non Complying
	2022	8.1	5.1	5	33	220	Non Complying
	2023	8.3	5.3	3.8	26	140	Non Complying
August	2017	7.9	6.3	3.8	130	450	Non Complying
	2018	7.7	6.4	10.9	80	300	Non Complying
	2019	7.1	5.6	7.8	47	350	Non Complying
	2020	7.9	6.6	6	39	430	Non Complying
	2021	8.58	6.4	5	20	170	Non Complying
	2022	8.3	5.7	4.8	22	170	Non Complying
	2023	8.3	5.6	3.5	26	110	Non Complying
September	2017	7.5	6.3	3.8			Non Complying
	2018	8.2	6.4	6.4	33	280	Non Complying
	2019	7.5	7.5	4.3	39	280	Non Complying
	2020	8.6	4.5	13.5	34	350	Non Complying
	2021	7.8	5.4	7	32	280	Non Complying
	2022	8.1	6.2	4.2	26	120	Non Complying
	2023	8	5.6	3.5	34	150	Non Complying
October	2017	7.4	6.4	5.2			Non Complying
	2018	7.8	6.1	4.8	40	280	Non Complying
	2019	8.1	7.6	3.2	39	280	Non Complying
	2020	8.2	6.8	5	39	430	Non Complying
	2021	8.1	5.7	4.8	17	170	Non Complying
	2022	8.3	5.9	4	22	140	Non Complying
	2023	7.8	5.8	3.5	38	280	Non Complying
November	2017	7.7	6.8	12.6			Non Complying
	2018	7.3	7.3	4.0	70	280	Non Complying
	2019	8.9	8.4	3.2	34	240	Non Complying
	2020	8.4	7.3	4	34	350	Non Complying
	2021	8.2	6	4.5	27	210	Non Complying
	2022	8.2	5.4	3.8	26	140	Non Complying
	2023	8.3	5.6	4	26	120	Non Complying
December	2017	6.8	7.1	3.5	14	110	Non Complying
	2018	8.5	6.6	5.0	34	240	Non Complying
	2019	8.6	6.2	4.0	33	280	Non Complying
	2020	8.0	6.8	5.2	33.0	220.0	Non Complying
	2021	8.0	5.8	4.6	6.0	150.0	Non Complying
	2022	8.3	5.9	3.8	25	150	Non Complying
	2023	8.3	5.8	3.2	12	150	Non Complying

**2174 - Wardha River at D/s of ACC Ltd. Ghuggus near WCL pump house, Village- Ghuggus,
Taluka- Chandrapur, District- Chandrapur.**

Month	Year	pH	DO (mg/L)	BOD (mg/L)	FC MPN /100ml	TC MPN /100ml	Water Quality
January	2017	7.8	7.8	7.0			Non Complying
	2018	7.2	7.1	5.2	110	540	Non Complying
	2019	8.3	6.5	5.2	39	280	Non Complying
	2020	8.5	7.2	5.4	20	170	Non Complying
	2021	8.4	7.1	4.0	39.0	280.0	Non Complying
	2022	8.2	6.2	3.0	14.0	170.0	Complying
	2023	8.4	6	4.6	40	210	Non Complying
February	2017	8.0	7.0	9.8			Non Complying
	2018	7.5	6.6	5.2	110	540	Non Complying
	2019	8.1	6.9	5.7	34	240	Non Complying
	2020	8	7.9	4.6	33	220	Non Complying
	2021	8.4	7.4	4	39	280	Non Complying
	2022	8.4	6.2	3.2	9.2	120	Non Complying
	2023	8.7	5.7	3.4	17	220	Non Complying
March	2017	7.0	6.0	9.0			Non Complying
	2018	8.1	4.7	8.6	110	350	Non Complying
	2019	8.3	5.6	4.8	33	220	Non Complying
	2020	8.4	7.0	5.6	34.0	240.0	Non Complying
	2021	7.8	7.2	4.5	34	240	Non Complying
	2022	8.7	5.9	3.6	10	130	Non Complying
	2023	8.2	5.6	3.2	32	210	Non Complying
April	2017	8.2	5.3	7.8			Non Complying
	2018	7.0	6.0	4.4	120	350	Non Complying
	2019	7.4	5.4	5.3	38	210	Non Complying
	2020	8.2	7.4	3.4	33	220	Non Complying
	2021	8.0	7.0	4.5	39	280	Non Complying
	2022	8.2	6	3.4	22	210	Non Complying
	2023	8.7	6	3	32	240	Complying
May	2017	8.7	6.6	5.8			Non Complying
	2018	7.3	5.0	8.6	79	280	Non Complying
	2019	9.0	7.5	4.4	31	150	Non Complying
	2020	7.9	6.9	4	38	210	Non Complying
	2021	8.5	6.9	4.6	39	350	Non Complying
	2022	7.8	6.1	3.4	17	220	Non Complying
	2023	8.2	5.8	3.5	22	220	Non Complying
June	2017	7.3	5.8	9.8	220	920	Non Complying
	2018	7.0	5.6	8.2	79	280	Non Complying
	2019						Dry
	2020	8.3	7	4	34	240.0	Non Complying
	2021	8.7	7	4.5	39	280.0	Non Complying
	2022	8.3	5.6	3.6	32	280	Non Complying
	2023	8.8	5.9	3.4	32	170	Non Complying

July	2017	7.5	6.8	4.6	170	920	Non Complying
	2018	7.6	5.6	8.1	70	280	Non Complying
	2019	8.0	7.8	3.4	32	170	Non Complying
	2020	7.7	7.8	3.6	39	280	Non Complying
	2021	8	6.8	4.8	39	280	Non Complying
	2022	7.9	5.2	4.9	41	240	Non Complying
	2023	8.2	5.5	3.5	39	120	Non Complying
August	2017	7.7	6.2	4.9	540	920	Non Complying
	2018	7.6	4.9	10.7	33	280	Non Complying
	2019	7.7	6.2	4.8	39	280	Non Complying
	2020	8	6.8	5	38	210	Non Complying
	2021	8.59	6.9	4.5	13	140	Non Complying
	2022	8.3	6	4.6	40	350	Non Complying
	2023	8.3	6.1	3.2	31	240	Non Complying
September	2017	8.0	6.2	4.2			Non Complying
	2018	8.1	5.1	8.8	34	240	Non Complying
	2019	7.9	7.5	3.8	33	220	Non Complying
	2020	8.4	5.8	12	33	220	Non Complying
	2021	8	5	9.2	25	280	Non Complying
	2022	8	5.2	5.2	33	350	Non Complying
	2023	7.9	5.8	3.4	32	210	Non Complying
October	2017	7.4	5.5	7.2	110	540	Non Complying
	2018	7.8	5.7	5.2	34	240	Non Complying
	2019	8.0	6.6	3.8	39	350	Non Complying
	2020	8.4	6.6	6	34	240	Non Complying
	2021	8.1	6.1	3.4	17	140	Non Complying
	2022	8.3	6.2	3.4	46	350	Non Complying
	2023	7.8	5.9	3.2	40	350	Non Complying
November	2017	6.8	6.7	12.2			Non Complying
	2018	8.0	7.2	6.2	40	280	Non Complying
	2019	8.7	7.7	4.4	39	280	Non Complying
	2020	8.3	7.4	3.5	33	220	Non Complying
	2021	8.3	6.2	3.2	17	140	Non Complying
	2022	8.1	6	3.6	48	350	Non Complying
	2023	8.3	5.2	4.6	40	430	Non Complying
December	2017	8.0	6.6	6.2	63	220	Non Complying
	2018	7.5	6.6	5.6	34	240	Non Complying
	2019	8.3	6.3	4.2	34	240	Non Complying
	2020	8.4	7.4	3.5	33.0	220.0	Non Complying
	2021	8.7	6.0	3.8	40.0	210.0	Non Complying
	2022	8.3	6.1	3.4	49	280	Non Complying
	2023	8.3	6	3.4	11	140	Non Complying

2719 - Wardha River at D/s of Erai River at Hadasti near Arun Engg. Works, Village- Hadasti, Taluka- Chandrapur, District- Chandrapur.							
Month	Year	pH	DO (mg/L)	BOD (mg/L)	FC MPN /100ml	TC MPN /100ml	Water Quality
January	2017	7.0	4.0	13	130	280	Non Complying
	2018	7.3	6.8	5.2	47	220	Non Complying
	2019	8.4	6.1	5.0	39	280	Non Complying
	2020	8.6	6.9	5	33	280	Non Complying
	2021	8.2	6.5	4.4	39.0	280.0	Non Complying
	2022	8.2	6.0	3.6	12.0	170.0	Non Complying
	2023	8.2	6.2	3.2	33	240	Non Complying
February	2017	6.9	3.3	15	170	350	Non Complying
	2018	7.5	6.4	5.4	120	430	Non Complying
	2019	8.4	6.7	5.8	34	240	Non Complying
	2020	8	8	4.5	39	350	Non Complying
	2021	8.3	6.7	5	39	280	Non Complying
	2022	8.3	6.1	3.4	14	110	Non Complying
	2023	8.6	5.9	3.4	34	210	Non Complying
March	2017	7.0	-	44	140	210	Non Complying
	2018	8.2	4.3	7.1	110	350	Non Complying
	2019	7.4	5.8	4.2	33	220	Non Complying
	2020	8.4	7.0	5	39	430.0	Non Complying
	2021	8.08	6.3	5.2	39	280	Non Complying
	2022	7.2	5.8	3.4	17	120	Non Complying
	2023	8.8	5.9	3.5	41	350	Non Complying
April	2017	7.2	4.4	13	110	280	Non Complying
	2018	7.2	5.6	7.8	94	280	Non Complying
	2019	8.1	3.0	7.8	33	220	Non Complying
	2020						
	2021	8.2	7.2	3.4	39	350	Non Complying
	2022	8.1	5.9	4	34	210	Non Complying
	2023	8.7	5.5	3.2	38	430	Non Complying
May	2017	7.3	-	60	110	350	Non Complying
	2018	8.2	4.7	8.0	94	280	Non Complying
	2019	9.0	7.4	5.4	31	150	Non Complying
	2020	7.5	7.2	3.8	39	280	Non Complying
	2021	8.6	7	4	39	280	Non Complying
	2022	7.8	6.3	3.5	33	220	Non Complying
	2023	8	5.7	4.2	47	350	Non Complying
June	2017	7.4	4.3	10	130	350	Non Complying
	2018	7.0	5.2	7.9	94	280	Non Complying
	2019	8.6	6.2	4.0	32	170	Non Complying
	2020	8.4	7	4	39	350	Non Complying
	2021	8.3	7	4.6	34	350	Non Complying
	2022	8	6.1	3.1	21	280	Non Complying
	2023	8.6	5.9	3.4	34	220	Non Complying

July	2017	7.0	6.0	5	220	540	Non Complying
	2018	7.8	5.4	8.1	110	350	Non Complying
	2019	7.9	7.6	3.6	38	210	Non Complying
	2020	8.2	7.5	4.8	39	280	Non Complying
	2021	8.1	6.7	4.8	34	350	Non Complying
	2022	8.1	5.8	4.4	41	350	Non Complying
	2023	8.2	5.4	3.5	33	170	Non Complying
August	2017	6.5	6.9	4	79	240	Non Complying
	2018	7.5	6.3	9.1	90	350	Non Complying
	2019	7.2	5.6	11.4	34	240	Non Complying
	2020	7.9	6.4	4.8	34	350	Non Complying
	2021	8.43	6.5	5	17	150	Non Complying
	2022	8.3	6	4.2	48	430	Non Complying
	2023	8.3	5.8	3.5	40	350	Non Complying
September	2017	6.5	7.4	3.6	33	170	Non Complying
	2018	7.3	5.8	7.1	90	280	Non Complying
	2019	7.8	7.1	4.2	40	300	Non Complying
	2020	8.5	4.8	14	34	350	Non Complying
	2021	8.2	4.7	10	22	210	Non Complying
	2022	7.9	5.9	4.5	33	280	Non Complying
	2023	8.2	5.7	3.5	43	430	Non Complying
October	2017	7.0	4.8	6	49	210	Non Complying
	2018	8.1	7.4	5.2	70	280	Non Complying
	2019	7.6	7.3	4.2	39	350	Non Complying
	2020	8.4	7	4.5	39	280	Non Complying
	2021	7.9	5.6	4.2	25	210	Non Complying
	2022	8.3	6.1	3.4	34	240	Non Complying
	2023	7.7	5.8	3.4	38	430	Non Complying
November	2017	7.3	5.5	9	70	220	Non Complying
	2018	7.8	7.0	5.2	50	300	Non Complying
	2019	8.5	7.5	4.2	39	280	Non Complying
	2020	8.4	7.6	3.5	34	350	Non Complying
	2021	8.2	5.9	3.8	17	170	Non Complying
	2022	7.8	6.1	3.5	43	280	Non Complying
	2023	8.5	5.8	3.2	32	170	Non Complying
December	2017	6.5	4.0	10	79	220	Non Complying
	2018	8.2	6.1	5.6	39	280	Non Complying
	2019	8.6	7.0	4.6	39	350	Non Complying
	2020	8.2	7.0	4.0	34.0	350.0	Non Complying
	2021	8.0	5.1	4.2	12.0	140.0	Non Complying
	2022	8.3	6.2	3.4	46	350	Non Complying
	2023	8.4	5.6	3.6	20	280	Non Complying

2720 - Wardha River at U/s of Erai River at Hadasti near Arun Engg. Works, Village- Hadasti, Taluka- Chandrapur, District- Chandrapur.							
Month	Year	pH	DO (mg/L)	BOD (mg/L)	FC MPN /100ml	TC MPN /100ml	Water Quality
January	2017	8.0	8.0	4.6			Non Complying
	2018	7.3	6.9	3.7	39	140	Non Complying
	2019	8.4	7.0	3.0	32	170	Complying
	2020	8.6	7.6	3.8	26	140	Non Complying
	2021	8.3	7.0	3.8	27.0	170.0	Non Complying
	2022	8.2	6.3	3.0	7.0	130.0	Complying
	2023	8.1	6.5	3	38	210	Complying
February	2017	8.0	7.0	6			Non Complying
	2018	7.5	6.6	5.2	39	140	Non Complying
	2019	8.6	7.4	4.2	31	150	Non Complying
	2020	8.2	7.8	3.2	33	220	Non Complying
	2021	8.2	7	4.5	26	140	Non Complying
	2022	8	6.4	3	4	84	Complying
	2023	8.7	6.3	3	26	170	Complying
March	2017	7.7	6.0	4.8			Non Complying
	2018	8.1	5.4	4.6	39	140	Non Complying
	2019	8.6	5.9	4.0	32	170	Non Complying
	2020	8.4	7.7	3.4	39.0	280.0	Non Complying
	2021	8.02	7	4	31	150	Non Complying
	2022	7.3	6	3	4	94	Complying
	2023	8.8	6.2	3.2	32	210	Non Complying
April	2017	8.5	6.1	3.4			Non Complying
	2018	7.2	6.1	5.5	39	170	Non Complying
	2019	8.1	3.9	7.2	32	170	Non Complying
	2020	8.0	7.9	2.6	38.0	210.0	Complying
	2021	8.1	7.5	3.4	27.0	170.0	Non Complying
	2022	8.2	6.2	3.2	26	170	Non Complying
	2023	8.7	6.1	3	32	350	Complying
May	2017	7.3	5.9	3.6			Non Complying
	2018	8.2	5.8	6.1	39	140	Non Complying
	2019	9.0	7.6	4.0	21	84	Non Complying
	2020	7.5	7.5	3	27	170	Complying
	2021	8	7.3	3.8	26	140	Non Complying
	2022	7.8	6.6	3	21	150	Complying
	2023	8.1	5.7	3.9	40	280	Non Complying
June	2017	7.7	6.4	4.5	39	140	Non Complying
	2018	7.1	5.8	7.1	46	170	Non Complying
	2019	8.6	6.6	3.8	21	94	Non Complying
	2020	8.4	7.5	3.4	38	210	Non Complying
	2021	8.3	7.2	4	27	170	Non Complying
	2022	8.1	6.2	3	17	170	Complying
	2023	8.7	6	3.2	41	120	Non Complying

July	2017	7.0	6.2	4.0	47	220	Non Complying
	2018	7.8	5.9	7.9	50	170	Non Complying
	2019	8.0	7.0	3.8	22	79	Non Complying
	2020	8.3	7.9	3	27	170	Complying
	2021	8	6.9	4.2	27	170	Non Complying
	2022	8.1	6.2	3.8	32	210	Non Complying
	2023	8.2	5.8	3.2	34	110	Non Complying
August	2017	7.8	6.0	5.2	39	140	Non Complying
	2018	7.3	6.5	7.0	26	140	Non Complying
	2019	7.2	5.0	9.2	21	94	Non Complying
	2020	7.9	7.4	4.0	38	210	Non Complying
	2021	8.44	6.8	4.5	21	170	Non Complying
	2022	8.3	6.2	4	33	280	Non Complying
	2023	8.3	5.9	3.2	34	220	Non Complying
September	2017	8.0	6.0	5.8			Non Complying
	2018	7.6	6.2	6.2	27	140	Non Complying
	2019	8.1	7.0	3.4	21	90	Non Complying
	2020	8.6	6.8	6.5	38	170	Non Complying
	2021	8	5	9.4	26	170	Non Complying
	2022	8.1	6.1	3.8	22	220	Non Complying
	2023	8.2	5.9	3.2	41	240	Non Complying
October	2017	7.2	6.1	5.5	40	170	Non Complying
	2018	8.1	5.1	4.2	33	220	Non Complying
	2019	7.5	7.3	3.0	21	94	Complying
	2020	8.4	7.2	4.2	26	140	Non Complying
	2021	7.9	5.8	3.8	25	210	Non Complying
	2022	8.3	6.3	3	41	220	Complying
	2023	7.9	5.9	3.2	32	280	Non Complying
November	2017	6.9	6.9	22.0			Non Complying
	2018	7.9	7.6	4.4	70	280	Non Complying
	2019	8.8	8.1	3.4	22	110	Non Complying
	2020	8.5	7.8	2.8	38	170	Complying
	2021	8.3	6.2	3.0	11	150	Complying
	2022	8.1	6.3	3	27	240	Complying
	2023	8.4	5.9	3	34	150	Complying
December	2017	8.0	5.0	9.6	40	170	Non Complying
	2018	8.3	6.5	4.8	31	150	Non Complying
	2019	8.7	7.8	3.4	21	94	Non Complying
	2020	8.0	7.4	3.4	38.0	210.0	Non Complying
	2021	8.1	5.8	3.9	13.0	170.0	Non Complying
	2022	8.4	6.4	3	33	220	Complying
	2023	8	5.6	3.4	13	220	Non Complying

**2721 - Wardha River at U/s of ACC Ltd. Ghuggus near WCL pump house, Village- Ghuggus,
Taluka- Chandrapur, District- Chandrapur.**

Month	Year	pH	DO (mg/L)	BOD (mg/L)	FC MPN /100ml	TC MPN /100ml	Water Quality
January	2017	8.0	8.0	4.4			Non Complying
	2018	7.0	7.2	3.5	97	350	Non Complying
	2019	8.4	7.5	3.6	26	140	Non Complying
	2020	8.5	7.8	4.6	33	280	Non Complying
	2021	8.0	7.70	3.5	27.0	170.0	Non Complying
	2022	8.2	6.20	3.0	12.0	140.0	Complying
	2023	8.4	6.5	3.2	32	150	Non Complying
February	2017	8.0	7.3	5.6			Non Complying
	2018	7.6	6.6	5	79	350	Non Complying
	2019	8.3	7.6	3.46	22	110	Non Complying
	2020	8.6	8.1	4	38	210	Non Complying
	2021	8.2	7.8	3	31	150	Complying
	2022	8.3	6.4	3	6.8	94	Complying
	2023	8.7	6.4	3	22	170	Complying
March	2017	7.0	6.0	6.0			Non Complying
	2018	8.0	5.3	3.8	97	140	Non Complying
	2019	8.3	5.6	4.6	32	170	Non Complying
	2020	8.5	7.90	4.2	32.0	170.0	Non Complying
	2021	7.6	7.6	3	26	140	Complying
	2022	8.6	6.2	3.4	11	110	Non Complying
	2023	8.3	6.1	3.2	41	240	Non Complying
April	2017	8.3	5.9	5.8			Non Complying
	2018	7.1	6.1	3.5	63	170	Non Complying
	2019	7.5	4.6	4.9	31	150	Non Complying
	2020	8.2	7.80	2.8	17.0	120.0	Complying
	2021	8.1	7.40	3.5	26.0	120.0	Non Complying
	2022	8.2	6.1	3.4	12	150	Non Complying
	2023	8.7	6.6	3	38	350	Complying
May	2017	8.7	6.6	3.4			Non Complying
	2018	7.3	5.3	7.6	97	140	Non Complying
	2019	8.8	7.9	3.6	21	94	Non Complying
	2020	7.9	7.5	3	22	110	Complying
	2021	8.2	7.2	3.8	32	170	Non Complying
	2022	7.8	6.3	3	21	170	Complying
	2023	7.8	5.9	3.2	27	130	Non Complying
June	2017	7.4	6.4	3.6	48	350	Non Complying
	2018	7.0	6.3	6.4	97	150	Non Complying
	2019						Dry
	2020	8.3	7.6	3	26	120.0	Complying
	2021	8.7	7.3	3.6	26	140.0	Non Complying
	2022	8.2	5.9	3.4	25	150	Non Complying
	2023	8	6	3.2	41	280	Non Complying

July	2017	7.4	6.8	3.2	94	350	Non Complying
	2018	7.5	6.1	7.1	50	170	Non Complying
	2019	8.0	7.6	3.6	17	63	Non Complying
	2020	7.6	7	3.2	31	150	Non Complying
	2021	8	6.8	4.8	39	280	Non Complying
	2022	8	5.6	4.6	32	210	Non Complying
	2023	8.3	5.8	3.2	34	220	Non Complying
August	2017	7.7	6.4	3.6	79	350	Non Complying
	2018	7.6	5.2	7.1	26	170	Non Complying
	2019	7.5	5.0	9	17	70	Non Complying
	2020	8.2	7	4.8	32	170	Non Complying
	2021	8.61	7	3.4	11	110	Non Complying
	2022	8.3	6.1	4.4	34	240	Non Complying
	2023	8.3	6.2	3	32	280	Complying
September	2017	8.0	6.4	3.2			Non Complying
	2018	7.9	6.3	6.6	25	150	Non Complying
	2019	7.1	7.4	3.4	21	90	Non Complying
	2020	8.6	6.8	5.8	32	120	Non Complying
	2021	8	5.8	8.0	21	220	Non Complying
	2022	7.8	5.5	5	38	280	Non Complying
	2023	8	5.9	3.2	40	350	Non Complying
October	2017	7.3	5.6	5.1	94	220	Non Complying
	2018	8.1	5.5	4.0	27	170	Non Complying
	2019	8.1	7.4	3.2	21	94	Non Complying
	2020	8.1	6.9	5.6	31	150	Non Complying
	2021	8.1	6.9	3.0	20	130	Complying
	2022	8.3	6.2	3.2	26	240	Non Complying
	2023	7.8	6.1	3	31	240	Complying
November	2017	6.8	6.6	7			Non Complying
	2018	7.4	6.6	4.0	25	150	Non Complying
	2019	8.6	8.3	3.2	22	79	Non Complying
	2020	8.6	7.6	3.2	32	120	Non Complying
	2021	8.3	6.4	3.0	14	110	Complying
	2022	8.2	6.2	3.4	32	220	Non Complying
	2023	8.3	6.1	3	38	350	Complying
December	2017	8.0	7.1	3.6	40	170	Non Complying
	2018	7.6	6.9	5	32	170	Non Complying
	2019	8.5	7.1	3.8	21	84	Non Complying
	2020	8.3	7.60	3.2	32.0	170.0	Non Complying
	2021	8	6.2	3	23	220	Complying
	2022	8.4	6.4	3	38	170	Complying
	2023	8.4	6	3.2	6	170	Non Complying